



Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

BLUESCOPE STEEL (AIS) PTY. LTD.
Port Kembla Steelworks
Licence 6092

[Link to Environment Protection Licence EPL6092](#)

LICENCE MONITORING DATA
MONTHLY SUMMARY REPORT


for

1 Oct 2017 to 31 Oct 2017

Monthly (October 2017) Report Published: 5, January, 2018

Stack Air Monitoring Requirements

EPL6092 Conditions L2.4/M2.2/M2.3/M8.2/E1.4





Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Point 2:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 Percentile Limit	Exceedance (yes / no) *
Solid Particles	Milligrams per cubic metre	Quarterly	1	3.8	3.8	50.00	no
Comment:							



Point 107:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 Percentile Limit	Exceedance (yes / no) *
Arsenic	Milligrams per cubic metre	Quarterly in duplicate	2	0.00025	0.0004		no
Cadmium	Milligrams per cubic metre	Quarterly in duplicate	2	0.0013	0.0021		no
Dry Gas Density	Kilograms per cubic metre	Quarterly in duplicate	9	1.33	1.34		no
Fine Particulates	Milligrams per cubic metre	Quarterly in duplicate	1	2.1	2.1		no
Hydrogen Chloride	Milligrams per cubic metre	Quarterly in duplicate	2	24	25		no
Hydrogen Fluoride	Milligrams per cubic metre	Quarterly in duplicate	2	2	2.1		no
Lead	Milligrams per cubic metre	Quarterly in duplicate	2	0.022	0.022		no
Manganese	Milligrams per cubic metre	Quarterly in duplicate	2	0.0034	0.0052		no
Moisture	Percent	Quarterly in duplicate	9	9	11		no
Molecular Weight of stack gases	grams per gram mole	Quarterly in duplicate	9	29.7	30		no
Nickel	Milligrams per cubic metre	Quarterly in duplicate	2	0.002	0.0027		no
Solid Particles	Milligrams per cubic metre	Quarterly in duplicate	6	6	9.3	20.00	no
Sulfuric acid mist and sulphur trioxide (as SO ₃)	Milligrams per cubic metre	Quarterly in duplicate	2	3.2	3.3	100.00	no
Temperature	Degrees Celcius	Quarterly in duplicate	9	123	138		no
Velocity	Metres per second	Quarterly in duplicate	9	14	17		no
Volumetric flowrate	Cubic metres per second	Quarterly in duplicate	9	290	340		no
Comment:							



Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Point 18:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Hydrogen Sulphide	Milligrams per cubic metre	Quarterly	4	1.4	2.075	2.15	2.6
Comment:							



Point 2:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max Value
Opacity	%	Continuous	Continuous	0	2.3	2.3	7.2
Comment:							

Point 107:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max Value
Total Solid Particles	Milligrams per cubic metre	Continuous	Continuous	0.8	4.8	3.5	50.0
Comment: Elevated results associated with plant shut down.							



Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Ambient Air Monitoring Requirements

EPL6092 Condition M2.2/M2.3/O4.14,O4.15 (Cont.)



O4.14

Pollutant	Monitoring frequency required by licence	No of significant emissions measured during month	100 Percentile Limit	Exceedance (yes/no) *
Emission - KISH Tipping DER 5	Monthly	0	4	no
Comment:				

O4.15

Pollutant	Monitoring frequency required by licence	No of significant emissions measured during month	100 Percentile Limit	Exceedance (yes/no) *
Emission Torpedo Ladle > DER 4	Monthly	0	4	no
Comment:				



Point 141: Receiver 1 (located south of licensed site)

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Fine Particulates	Micrograms per cubic metre	Continuous	Continuous	8.8	24.0	22.5	46.4
Benzene	Parts per billion	Every 6 days	5	0.05	0.19	0.2000	0.31
Iron	Micrograms per cubic metre	Every 6 days	5	0.83	3.226	4.00	5
Lead	Micrograms per cubic metre	Every 6 days	5	<0.055	<0.055	0.03	<0.057
Particulates - Deposited Matter	Grams per square metre per month	Monthly	1	2	2	2.00	2
Polycyclic aromatic hydrocarbons	Nanograms per cubic metre	24 hour period every 6 days.	5	0.61	1.384	1.60	2.2
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	26	74.2	77.00	110
Type 1 and Type 2 substances in aggregate	Micrograms per cubic metre	Quarterly	1	0.17	0.17	0.17	0.17
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	0.116	0.12	0.18
Comment:							



Point 152: Receiver 2 (located north of licensed site)

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Fine Particulates	Micrograms per cubic metre	Continuous	Continuous	13.2	25.7	25.6	40.8
Benzene	Parts per billion	Every 6 days	5	0.084	0.1382	0.1400	0.22
Iron	Micrograms per cubic metre	Every 6 days	5	0.97	2.934	2.00	7.7
Lead	Micrograms per cubic metre	Every 6 days	5	<0.055	<0.055	0.03	<0.057
Particulates - Deposited Matter	Grams per square metre per month	Monthly	1	1.8	1.8	1.80	1.8
Polycyclic aromatic hydrocarbons	Nanograms per cubic metre	24 hour period every 6 days.	5	0.61	0.938	0.75	1.9
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	33	49.2	47.00	71
Type 1 and Type 2 substances in aggregate	Micrograms per cubic metre	Quarterly	1	0.043	0.043	0.04	0.043
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	<0.11	0.06	0.12
Comment:							




Point 153: Receiver 3 (located west of licensed site)

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Iron	Micrograms per cubic metre	Every 6 days	5	0.82	1.604	1.50	2.6
Lead	Micrograms per cubic metre	Every 6 days	5	<0.055	<0.055	0.03	<0.057
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	32	44	42.00	66
Type 1 and Type 2 substances in aggregate	Micrograms per cubic metre	Quarterly	1	0.096	0.096	0.10	0.096
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	0.121	0.06	0.3
Comment:							

Water and/or Land Monitoring Requirements

EPL6092 Condition M2.5/M2.6/M8.1/M8.3





Point 78:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Total Suspended Solids	Milligrams per litre	Daily during any discharge which is not due to Wet Weather Conditions	0				
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	0	0.00	0
Comment: No flow at time of sampling.							

Point 79:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	Every 8 days	4	<0.06	<0.06	5.0 (5.0)	no
Cyanide	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.30 (0.30)	no
Filtrable Iron	Milligrams per litre	Every 8 days	4	<0.01	<0.01	0.3 (0.3)	no
Oil and Grease	Milligrams per litre	Every 8 days	4	<5	<5	20 (50)	no
pH		Every 8 days	4	8.1	8.2	6.5-9.0 (6.5-9.0)	no
Temperature	Degrees Celcius	Every 8 days	4	25	26	40 (40)	no
Total Iron	Milligrams per litre	Every 8 days	4	0.06	0.55	3 (50)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	4	3	21	50 (500)	no
Total Zinc	Milligrams per litre	Every 8 days	4	<0.05	0.05	3 (3)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	540411	646099		
Comment:							



Point 80:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	179	2067		
Comment:							

Point 82:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Cyanide	Milligrams per litre	Quarterly grab sample. Min 80 days apart	0			0.30 (0.00)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	1001		
Comment:							
No flow at time of sampling.							



Point 83:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Cyanide	Milligrams per litre	Quarterly grab sample. Min 80 days apart	1	<0.02	<0.02	0.15 (0.00)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	76	403		
Comment:							

Point 85:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 Percentile Limit	Exceedance (yes / no) *
Oil and Grease	Milligrams per litre	24/year. Min 15 days apart	2	<5	<5	20.0000	no
pH		24/year. Min 15 days apart	2	8.2	8.4	6.5-9.0	no
Temperature	Degrees Celcius	24/year. Min 15 days apart	2	21	21	35.00	no
Total Suspended Solids	Milligrams per litre	24/year. Min 15 days apart	2	4	13	50.00	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	34181	36195		no
Comment:							



Point 87:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	Every 8 days	4	<0.06	<0.06	10.0 (10.0)	no
Cyanide	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.30 (0.30)	no
Filtrable Iron	Milligrams per litre	Every 8 days	4	<0.01	<0.01	1.5 (1.5)	no
Lead	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.5 (0.5)	no
Mercury	Micrograms per litre	Every 8 days	4	<0.5	<0.5	1.5 (1.5)	no
pH		Every 8 days	4	8.2	8.3	6.5-11.0 (6.5-11.0)	no
Temperature	Degrees Celcius	Every 8 days	4	19	21	40 (40)	no
Total Iron	Milligrams per litre	Every 8 days	4	0.09	0.34	7 (100)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	4	3	16	70 (500)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	904	1612		
Comment:							



Point 88:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	Every 8 days	4	<0.06	<0.06	7.5 (7.5)	no
Cyanide	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.30 (0.30)	no
Oil and Grease	Milligrams per litre	Every 8 days	4	<5	<5	20 (50)	no
pH		Every 8 days	4	8.2	8.3	6.5-9.0 (6.5-9.0)	no
Phenol	Milligrams per litre	Every 8 days	1	<0.2	<0.2	0.45 (0.45)	no
Temperature	Degrees Celcius	Every 8 days	4	19	21	40 (40)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	4	<3	12	100 (200)	no
Total Zinc	Milligrams per litre	Every 8 days	4	<0.05	<0.05	3 (3)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	668	34172		

Comment:

Point 89:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Copper	Milligrams per litre	Every 8 days	0			1.000	no
Filtrable Iron	Milligrams per litre	Every 8 days	0			0.5 (0.5)	no
pH		Every 8 days	0			6.5-9.0 (6.5-9.0)	no
Temperature	Degrees Celcius	Every 8 days	0			45 (45)	no
Total Iron	Milligrams per litre	Every 8 days	0			7 (20)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	0			100 (200)	no
Total Zinc	Milligrams per litre	Every 8 days	0			3 (3)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	0		

Comment:

No flow at time of sampling.