



Bluescope Steel Pty Ltd
ABN 19 000 11 058
Spring Hill Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

BLUESCOPE STEEL LIMITED.
Springhill
Licence 571

[Link to Environment Protection Licence 571](#)

LICENCE MONITORING DATA
MONTHLY SUMMARY REPORT

Period

1 Jun 2018 to 30 Jun 2018

Monthly (Jun 2018) Report Published: 16, July, 2018



Bluescope Steel Pty Ltd
ABN 19 000 11 058
Spring Hill Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Location of monitoring/discharge points and areas.

EPL 571 Conditions P1

Stack ID on Licence 571	Stack	Latitude	Longitude
5	MCL1 Selas stack (ID5)	34,27,32.71S	150,52,27.04E
6	MCL2 Selas stack (ID6)	34,27,32.59S	150.52,27.35E
7	MCL3 Selas stack (ID7)	34,27,32.27S	150,52,28.16E



Stack Air Monitoring Requirements

EPL 571 Conditions L 2.4, M 2.2.

Point 5:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during the year	Min. Value	Max. Value	100 percentile concentration limit	Exceedance (yes / no) *
Oxides of Nitrogen @ 15% O2	Milligrams per cubic metre	Every 3 Years	4	33.00	35.00	200	no
Carbon Monoxide - low	Milligrams per cubic metre	Every 3 Year	4	86	322		no
Comment:							

Point 6:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during the year	Min. Value	Max. Value	100 percentile concentration limit	Exceedance (yes / no) *
Oxides of Nitrogen @ 14% O2	Milligrams per cubic metre	Every 3 Years	3	41.00	44.00	200	no
Carbon Monoxide - low	Milligrams per cubic metre	Every 3 Year	4	415	522		no
Comment:							



Bluescope Steel Pty Ltd
ABN 19 000 11 058
Spring Hill Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Point 7:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during the year	Min. Value	Max. Value	100 percentile concentration limit	Exceedance (yes / no) *
Oxides of Nitrogen @ 14% O ₂	Milligrams per cubic metre	Every 3 Years	4	37.00	40.00	200	no
Carbon Monoxide - low	Milligrams per cubic metre	Every 3 Year	4	35	78		no
Comment:							