



Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

BLUESCOPE STEEL (AIS) PTY. LTD.
Port Kembla Steelworks
Licence 6092

[Link to Environment Protection Licence EPL6092](#)

LICENCE MONITORING DATA
MONTHLY SUMMARY REPORT

for

1 Jun 2020 to 30 Jun 2020

Monthly (June 2020) Report Published: 14, August, 2020

Date Obtained: 30/07/20

Stack Air Monitoring Requirements

EPL6092 Conditions L2.4/M2.2/M2.3/M8.2/E1.4





Point 107:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 Percentile Limit	Exceedance (yes / no) *
Carbon Dioxide	Percent	Quarterly in duplicate	4	5.6	5.9		no
Dioxins & Furans (15.7% Oxygen correction)	Nanograms per cubic metre	Quarterly in duplicate	1	0.016	0.016	0.300000	no
Dry Gas Density	Kilograms per cubic metre	Quarterly in duplicate	6	1.33	1.33		no
Hydrogen Chloride	Milligrams per cubic metre	Quarterly in duplicate	1	30	30		no
Hydrogen Fluoride	Milligrams per cubic metre	Quarterly in duplicate	1	1.9	1.9		no
Moisture	Percent	Quarterly in duplicate	6	10	10		no
Molecular Weight of stack gases	grams per gram mole	Quarterly in duplicate	6	29.7	29.7		no
Nitrogen Oxides	Milligrams per cubic metre	Quarterly	4	261	289	2,000.00	no
Oxygen (O2)	Percent	Quarterly in duplicate	4	16	17		no
Sulphur Dioxide - UV	Milligrams per cubic metre	Quarterly	4	195	211	1,000.00	no
Temperature	Degrees Celcius	Quarterly in duplicate	6	134	134		no
Velocity	Metres per second	Quarterly in duplicate	6	16	16		no
Volumetric flowrate	Cubic metres per second	Quarterly in duplicate	6	320	320		no

Comment:



Point 2:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max Value
Opacity	%	Continuous	Continuous	0.0	4.2	4.4	7.9
Comment:							

Point 107:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max Value
Total Solid Particles	Milligrams per cubic metre	Continuous	Continuous	0.0	5.6	5.0	29.9
Comment: Elevated results associated with plant shutdown and startup							



Bluescope Steel (AIS) Pty Ltd
ABN 19 000 019625
Port Kembla Steelworks
Five Islands Road
Port Kembla 2505
PO Box 1854
Wollongong NSW 2500

Ambient Air Monitoring Requirements

EPL6092 Condition M2.2/M2.3/O4.13,O4.14 (Cont.)



O4.13

Pollutant	Monitoring frequency required by licence	No of significant emissions measured during month	100 Percentile Limit	Exceedance (yes/no) *
Emission - KISH Tipping DER 5	Monthly	0	4	no
Comment:				

O4.14

Pollutant	Monitoring frequency required by licence	No of significant emissions measured during month	100 Percentile Limit	Exceedance (yes/no) *
Emission Torpedo Ladle > DER 4	Monthly	0	1	no
Comment:				



Point 141: Receiver 1 (located south of licensed site)

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Benzene	Parts per billion	Every 6 days	5	0.021	0.0612	0.0630	0.12
Fine Particulates	Micrograms per cubic metre	Continuous	Continuous	5	11	11	19
Iron	Micrograms per cubic metre	Every 6 days	5	0.2	0.488	0.32	1.3
Lead	Micrograms per cubic metre	Every 6 days	5	<0.054	<0.054	0.03	<0.055
Particulates - Deposited Matter	Grams per square metre per month	Monthly	1	0.53	0.53	0.53	0.53
Polycyclic aromatic hydrocarbons	Nanograms per cubic metre	24 hour period every 6 days.	5	0.59	0.85	0.65	1.5
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	12	17.4	18.00	25
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	<0.11	0.06	<0.11
Comment:							



Point 152: Receiver 2 (located north of licensed site)


Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Benzene	Parts per billion	Every 6 days	5	0.021	0.082	0.069	0.14
Fine Particulates	Micrograms per cubic metre	Continuous	Continuous	7	14	14	23
Iron	Micrograms per cubic metre	Every 6 days	5	0.49	1.618	1.30	2.7
Lead	Micrograms per cubic metre	Every 6 days	5	<0.054	<0.054	0.03	<0.055
Particulates - Deposited Matter	Grams per square metre per month	Monthly	1	0.65	0.65	0.65	0.65
Polycyclic aromatic hydrocarbons	Nanograms per cubic metre	24 hour period every 6 days.	5	0.59	1.392	0.97	2.5
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	16	28	27.00	43
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	<0.11	0.06	0.15
Comment:							

Point 153: Receiver 3 (located west of licensed site)

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Iron	Micrograms per cubic metre	Every 6 days	5	0.39	1.578	1.50	2.5
Lead	Micrograms per cubic metre	Every 6 days	5	<0.054	<0.054	0.03	<0.055
Total suspended particles	Micrograms per cubic metre	Every 6 days	5	5	33.2	36.00	61
Zinc	Micrograms per cubic metre	Every 6 days	5	<0.11	<0.11	0.06	0.2
Comment:							

Water and/or Land Monitoring Requirements

EPL6092 Condition M2.5/M2.6/M8.1/M8.3





Point 78:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Mean Value	Median Value	Max. Value
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	0	0.00	0
Comment:							

Point 79:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	Every 8 days	4	<0.06	0.17	5.0 (5.0)	no
Cyanide	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.30 (0.30)	no
Filtrable Iron	Milligrams per litre	Every 8 days	4	<0.01	0.014	0.3 (0.3)	no
Oil and Grease	Milligrams per litre	Every 8 days	4	<5	<5	20 (50)	no
pH		Every 8 days	4	8.1	8.2	6.5-9.0 (6.5-9.0)	no
Temperature	Degrees Celcius	Every 8 days	4	23	25	40 (40)	no
Total Iron	Milligrams per litre	Every 8 days	4	0.11	0.33	3 (50)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	4	<3	10	50 (500)	no
Total Zinc	Milligrams per litre	Every 8 days	4	<0.05	<0.05	3 (3)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	605738	727077		
Comment:							

Point 80:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	646	2547		
Comment:							



Point 82:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	521		
Comment:							

Point 83:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	114		
Comment:							

Point 85:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 Percentile Limit	Exceedance (yes / no) *
Oil and Grease	Milligrams per litre	24/year. Min 15 days apart	2	<5	<5	20.0000	no
pH		24/year. Min 15 days apart	2	8.2	8.2	6.5-9.0	no
Temperature	Degrees Celcius	24/year. Min 15 days apart	2	18	20	35.00	no
Total Suspended Solids	Milligrams per litre	24/year. Min 15 days apart	2	4	12	50.00	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	37252	39229		no
Comment:							



Point 87:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	Every 8 days	4	<0.06	<0.06	10.0 (10.0)	no
Cyanide	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.30 (0.30)	no
Filtrable Iron	Milligrams per litre	Every 8 days	4	<0.01	<0.01	1.5 (1.5)	no
Lead	Milligrams per litre	Every 8 days	4	<0.02	<0.02	0.5 (0.5)	no
Mercury	Micrograms per litre	Every 8 days	4	<0.5	<0.5	1.5 (1.5)	no
pH		Every 8 days	4	8.2	8.3	6.5-11.0 (6.5-11.0)	no
Temperature	Degrees Celcius	Every 8 days	4	17	19	40 (40)	no
Total Iron	Milligrams per litre	Every 8 days	4	0.12	1.8	7 (100)	no
Total Suspended Solids	Milligrams per litre	Every 8 days	4	3	29	70 (500)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	1893	2215		
Comment:							

Point 88:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Ammonia	Milligrams per litre	24/year. Min 15 days apart	3	<0.06	<0.06	7.5 (7.5)	no
Cyanide	Milligrams per litre	24/year. Min 15 days apart	3	<0.02	<0.02	0.30 (0.30)	no
Oil and Grease	Milligrams per litre	24/year. Min 15 days apart	3	<5	<5	20 (50)	no
pH		24/year. Min 15 days apart	3	8.1	8.2	6.5-9.0 (6.5-9.0)	no
Temperature	Degrees Celcius	24/year. Min 15 days apart	3	16	17	40 (40)	no
Total Suspended Solids	Milligrams per litre	24/year. Min 15 days apart	3	<3	16	100 (200)	no
Total Zinc	Milligrams per litre	24/year. Min 15 days apart	3	<0.05	0.05	3 (3)	no
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	24156	29738		
Comment:							



Point 89:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during month	Min. Value	Max Value	100 percentile Dry limit (Wet limit)	Exceedance (yes / no) *
Volume of Liquids Discharged	Kilolitres per day	Daily	Continuous	0	0		
Comment:							