



Bluescope Steel Pty Ltd  
ABN 19 000 11 058  
Spring Hill Road  
Port Kembla 2505  
PO Box 1854  
Wollongong NSW 2500

**BLUESCOPE STEEL LIMITED.**  
**Springhill**  
**Licence 571**

[Link to Environment Protection Licence 571](#)

**LICENCE MONITORING DATA**  
**MONTHLY SUMMARY REPORT**

Period

**1 Feb 2021 to 28 Feb 2021**

Monthly (Feb 2021) Report Published: 13, April, 2021

Date Obtained: 18/02/2021



Bluescope Steel Pty Ltd  
ABN 19 000 11 058  
Spring Hill Road  
Port Kembla 2505  
PO Box 1854  
Wollongong NSW 2500

## Location of monitoring/discharge points and areas.

### EPL 571 Conditions P1

Stack ID on Licence 571	Stack	Latitude	Longitude
2	CPCM HCl Fume Extraction Outlet (ID2)	34,27,27.02S	150.52.32.91E



Bluescope Steel Pty Ltd  
ABN 19 000 11 058  
Spring Hill Road  
Port Kembla 2505  
PO Box 1854  
Wollongong NSW 2500

## Stack Air Monitoring Requirements

EPL 571 Conditions L 2.4, M 2.2.

### Point 2:

#### No Pollutant Limit:

Pollutant	Units of Measure	Monitoring frequency required by licence	No. of times measured during the year	Min. Value	Mean Value	Medium Value	Max. Value
Hydrogen Chloride	Milligrams per cubic metre	Biannually	2	20.00	24.00	24.00	28.00